

**IN THE CLAIMS:**

Please cancel Claims 6-24 without prejudice or disclaimer. Please add new claims 25-29.

1. (original) An earpiece light comprising  
an ear support attached to a power supply housing;  
said power supply housing having a power supply and a lamp arm with a distal end; and,  
said power supply connected to a light source mounted on the distal end of the lamp arm.
2. (original) The earpiece light of Claim 1 where the lamp arm is pivotally attached to the  
power supply housing.
3. (original) The earpiece light of Claim 1 where the lamp arm is extendible.
4. (original) The earpiece light of Claim 1 where the power supply housing further  
comprises a dimmer control for the light source.
5. (original) The earpiece light of Claim 1 where the power supply housing further  
comprises a power switch for the light source.
6. (cancelled) An earpiece light for a user having an outer ear with a crest of helix and an  
external auditory canal; the earpiece light comprising:  
an ear support for placement behind the crest of helix, attached to a power supply housing  
for placement over the external auditory canal;  
said power supply housing having a power supply and a lamp arm with a distal end  
extended from the power supply housing; and,  
said power supply connected to a light source mounted on the distal end of the lamp arm.
7. (cancelled) The improved earpiece light of Claim 6 where the lamp arm is pivotally  
attached to the power supply housing.
8. (cancelled) The improved earpiece light of Claim 6 where the lamp arm is extendible.

9. (cancelled) The earpiece light of Claim 6 where the power supply housing further comprises a dimmer control for the light source.

10. (cancelled) The earpiece light of Claim 6 where the power supply housing further comprises a power switch for the light source.

11. (cancelled) An earpiece light comprising:  
a power supply housing hanging from an ear support;  
said power supply housing having a power supply and a lamp arm with a distal end, the lamp arm positioned below the ear support; and,  
said power supply connected to a light source mounted on the distal end of the lamp arm.

12. (cancelled) The improved earpiece light of Claim 11 where the lamp arm is pivotally attached to the power supply housing.

13. (cancelled) The improved earpiece light of Claim 11 where the lamp arm is extendible.

14. (cancelled) The earpiece light of Claim 11 where the power supply housing further comprises a dimmer control for the light source.

15. (cancelled) The earpiece light of Claim 11 where the power supply housing is pivotally connected to the ear support.

16. (cancelled) The earpiece light of Claim 11 where the light source is a light emitting diode.

17. (cancelled) The earpiece light of Claim 11 where the ear support is flexible.

18. (cancelled) The earpiece light of Claim 11 where the power supply housing is detachable from the ear support.

19. (cancelled) The earpiece light of Claim 11 where the lamp arm is flexible.

20. (cancelled) The earpiece light of Claim 11 where the light source is a laser.

21. (cancelled) The earpiece light of Claim 11 where a glare shield is mounted on the distal end of the lamp arm.

22. (cancelled) The earpiece light of Claim 16 where the power supply housing further comprises an oscillating circuit connected to the light emitting diode for oscillating the light emitting diode.

23. (cancelled) The earpiece light of Claim 11 where the power supply housing further comprises an adaptor jack to receive power from an alternate power supply.

24. (cancelled) The earpiece light of Claim 23 where the power supply is a battery rechargeable via power received by the adaptor jack from the alternate power supply.

25. (new) An earpiece light comprising:  
a curved ear support attached to a power supply housing;  
said power supply housing having a power supply and a lamp arm with a distal end; and,  
said power supply connected to a light source mounted on the distal end of the lamp arm.

26. (new) The earpiece light of Claim 25 where the power supply housing is detachable from the curved ear support.

27. (new) The earpiece light of Claim 25 where the lamp arm is extendible.

28. (new) The earpiece light of Claim 25 where the curved ear support is wearable around a crest of helix of an outer ear.

29. (new) The earpiece light of Claim 25 where the curved ear support is flexible.